




RFID Transponder

IUC77-25L110-GBL 1000pcs

- Operating frequency 865 ... 928 MHz
- Complies with EPC Gen2 (ISO/IEC 18000-63)
- Robust, adhesive plastic label

Data carrier

Dimensions



Technical Data

General specifications		
Operating frequency		865 ... 928 MHz
Polarization		linear
Memory		
Chip Type		Monza 4QT (Impinj)
Memory Bank 00 (Reserved)		64 Bit
Memory Bank 01 (EPC/UII)		128 Bit
Memory Bank 10 (TID)		96 Bit
Memory Bank 11 (User memory)		512 Bit
Read cycles		unlimited
Write cycles		> 100000
Data retention period		10 years
Directive conformity		
Radio equipment		
Directive 2014/53/EU		EN 302208
RoHS		

Release date: 2020-03-26 Date of issue: 2020-03-27 Filename: 256089_eng.pdf

Refer to "General Notes Relating to Pepperl+Fuchs Product Information".

Pepperl+Fuchs Group
www.pepperl-fuchs.com

USA: +1 330 486 0001
fa-info@us.pepperl-fuchs.com

Germany: +49 621 776 1111
fa-info@de.pepperl-fuchs.com

Singapore: +65 6779 9091
fa-info@sg.pepperl-fuchs.com

PEPPERL+FUCHS

Technical Data

Directive 2011/65/EU (RoHS)	EN 50581
Standard conformity	
Degree of protection	EN 60529
RFID	ISO/IEC 18000-63
Ambient conditions	
Ambient temperature	-40 ... 85 °C (-40 ... 185 °F)
Storage temperature	-40 ... 95 °C (-40 ... 203 °F)
Mechanical specifications	
Degree of protection	IP67
Material	
Housing	Polyester with transparent protective laminate
Installation	Adhesive
In air	yes
Mass	1 g
Construction type	Label
Note	Packaging unit, 1000 pcs. on a roll

Installation Conditions

The minimum bending radius of the transponder is 50 mm. Do not bend the transponder above this bending radius.
Do not touch the area of the integrated circuit IC. The IC is a sensitive electrical component that can be damaged by excessive pressure.

Release date: 2020-03-26 Date of issue: 2020-03-27 Filename: 256089_eng.pdf

Refer to "General Notes Relating to Pepperl+Fuchs Product Information".

Pepperl+Fuchs Group
www.pepperl-fuchs.com

USA: +1 330 486 0001
fa-info@us.pepperl-fuchs.com

Germany: +49 621 776 1111
fa-info@de.pepperl-fuchs.com

Singapore: +65 6779 9091
fa-info@sg.pepperl-fuchs.com

 **PEPPERL+FUCHS**