Technical data sheet Stationary bar code reader Part no.: 50116203 BCL 300i SF 100 D H



Leuze

The Sensor People In der Braike 1, 73277 Owen

Leuze electronic GmbH + Co. KG info@leuze.com • www.leuze.com In der Braike 1, 73277 Owen Phone: +49 7021 573-0 • Fax: +49 7021 573-199

We reserve the right to make technical changes
 9 7021 573-199 eng • 2020-06-17

1/8

Technical data

Leuze

Basic data Series BCL 300i **Special design** Special design Heating **Functions** Functions Alignment mode AutoConfig AutoControl AutoReflAct Code fragment technology Heating LED indicator Reference code comparison **Characteristic parameters** MTTF 110 years **Read data** 2/5 Interleaved Code types, readable Codabar Code 128 Code 39 Code 93 EAN 8/13 GS1 Databar Expanded GS1 Databar Limited GS1 Databar Omnidirectional UPC Scanning rate, typical 1,000 scans/s Bar codes per reading gate, max. 64 Piece(s) number **Optical data**

Reading distance	70 445 mm	
Light source	Laser, Red	
Laser light wavelength	655 nm	
Laser class	2, IEC/EN 60825-1:2007	
Transmitted-signal shape	Continuous	
Usable opening angle (reading field opening)	60 °	
Modulus size	0.3 0.5 mm	
Reading method	Line scanner with deflecting mirror	
Beam deflection	By means of rotating polygon mirror wheel + deflecting mirror	
Light beam exit	Lateral with deflecting mirror	
Light beam exit	Edicidi with deliceting minor	
Electrical data		
	Polarity reversal protection	
Electrical data		
Electrical data		
Electrical data Protective circuit		
Electrical data Protective circuit Performance data	Polarity reversal protection	
Electrical data Protective circuit Performance data Supply voltage U _B	Polarity reversal protection 18 30 V, DC	
Electrical data Protective circuit Performance data Supply voltage U _B	Polarity reversal protection 18 30 V, DC	
Electrical data Protective circuit Performance data Supply voltage U _B Power consumption, max.	Polarity reversal protection 18 30 V, DC	

Interface			
Туре	RS 232, RS 422		
RS 232			
Function	Process		
Transmission speed	4,800 115,200 Bd		
Data format	Adjustable		
Start bit	1		
Data bit	7,8		
Stop bit	1, 2 stop bits		
Parity	Adjustable		
Transmission protocol	<stx><data><cr><lf></lf></cr></data></stx>		
Data encoding	ASCII		
RS 422			
Function	Process		
Transmission speed	4,800 115,200 Bd		
Data format	Adjustable		
Start bit	1		
Data bit	7, 8 data bits		
Stop bit	1, 2 stop bits		
Transmission protocol	Adjustable		
Data encoding	ASCII		
Service interface			
Туре	USB		
USB			
Function	Configuration via software		
Connection			
Number of connections	1 Piece(s)		
Connection 1			
Function	BUS OUT		
	Connection to device		
	Data interface		
	PWR / SW IN/OUT		
	Service interface		
Type of connection	Plug connector		
No. of pins	32 -pin		
Туре	Male		
Mechanical data			
Design	Cubic		
Dimension (W x H x L)	103 mm x 44 mm x 96 mm		
Housing material	Metal, Diecast aluminum		
Lens cover material	Glass		
Net weight	370 g		
Housing color	Black		
	Red		
Type of fastening	Dovetail grooves		
-	Fastening on back		
	Via optional mounting device		
	· · · · · · · · · · · · · · · · · · ·		

The Sensor People In der Braike 1, 73277 Owen

Input current, max.

Leuze electronic GmbH + Co. KG

8 mA

info@leuze.com • www.leuze.com Phone: +49 7021 573-0 • Fax: +49 7021 573-199

Technical data

Leuze

Operation and display

Type of display	LED
	Monochromatic graphic display, 128 x 32 pixels
Number of LEDs	2 Piece(s)
Type of configuration	Via web browser

Environmental data

Ambient temperature, operation	-35 40 °C
Ambient temperature, storage	-20 70 °C
Relative humidity (non-condensing)	0 90 %

Certifications


Degree of protection	IP 65
Protection class	III
Certifications	c UL US
Test procedure for EMC in accordance	EN 55022
with standard	EN 61000-4-2, -3, -4, -6
Test procedure for shock in accordance with standard	IEC 60068-2-27, test Ea
Test procedure for continuous shock in accordance with standard	IEC 60068-2-29, test Eb
Test procedure for vibration in accordance with standard	IEC 60068-2-6, test Fc

Classification

Customs tariff number	84719000
eCl@ss 8.0	27280102
eCl@ss 9.0	27280102
ETIM 5.0	EC002550
ETIM 6.0	EC002550

Dimensioned drawings

All dimensions in millimeters



- A Optical axis
- B Deflection angle of the laser beam: ± 30°
- C M4 thread (5 deep)

Electrical connection


Leuze

Connection 1

Function	BUS OUT
	Connection to device
	Data interface
	PWR / SW IN/OUT
	Service interface
Type of connection	Plug connector
No. of pins	32 -pin
Туре	Male

Diagrams

Reading field curve



Reading field distance [mm] х

Reading field width [mm] у

Operation and display

LED	Display	Meaning
1 PWR	Green, flashing	Device ok, initialization phase
	Green, continuous light	Device OK
	Green, briefly off - on	Reading successful
	green, briefly off - briefly red - on	Reading not successful
	Orange, continuous light	Service mode
	Red, flashing	Device OK, warning set
	Red, continuous light	Error, device error
2 BUS	Green, flashing Initialization	

Leuze electronic GmbH + Co. KG info@leuze.com • www.leuze.com The Sensor People In der Braike 1, 73277 Owen

Phone: +49 7021 573-0 • Fax: +49 7021 573-199

We reserve the right to make technical changes eng • 2020-06-17

Operation and display

LED Display Meaning 2 BUS Green, continuous light Bus operation ok Acd, flashing Communication error Red, continuous light Bus error

Part number code

Part designation: BCL XXXX YYZ AAA BB CCCC

BCL	Operating principle BCL: bar code reader
XXXX	Series/interface (integrated fieldbus technology) 300i: RS 232 / RS 422 (stand-alone) 301i: RS 485 (multiNet slave) 304i: PROFIBUS DP 308i: EtherNet TCP/IP, UDP 348i: PROFINET RT 358i: EtherNet/IP
YY	Scanning principle S: line scanner (single line) R1: line scanner (raster) O: oscillating-mirror scanner (oscillating mirror)
z	Optics N: High Density (close) M: Medium Density (medium distance) F: Low Density (remote) L: Long Range (very large distances) J: ink-jet (depending on the application)
AAA	Beam exit 100: lateral 102: front
ВВ	Special equipment D: with display H: with heating DH: optionally with display and heating P: plastic exit window
CCCC	Functions F007: optimized process data structure

Note

the A list with all available device types can be found on the Leuze website at www.leuze.com.

Notes

Observe intended use!
b This product is not a safety sensor and is not intended as personnel protection.
✤ The product may only be put into operation by competent persons.
♦ Only use the product in accordance with its intended use.

Leuze

Notes

Leuze

	WARNING! LASER RADIATION - CLASS 2 LASER PRODUCT				
	Do not stare into beam! The device satisfies the requirements of IEC 60825-1:2007 (EN 60825-1:2007) safety regulations for a product of laser class 2 as well as U.S. 21 CFR 1040.10 regulations with deviations corresponding to "Laser Notice No. 50" from June 24, 2007.				
*	Never look directly into the laser beam or in the direction of reflected laser beams! If you look into the beam path over a longer time period, there is a risk of injury to the retina.				
	♥ Do not point the laser beam of the device at persons!				
	✤ Interrupt the laser beam using a non-transparent, non-reflective object if the laser beam is accidentally directed towards a person.				
	Nhen mounting and aligning the device, avoid reflections of the laser beam off reflective surfaces!				
	to CAUTION! Use of controls or adjustments or performance of procedures other than specified herein may result in hazardous light exposure.				
	♦ Observe the applicable statutory and local laser protection regulations.				

- by The device must not be tampered with and must not be changed in any way.
 - There are no user-serviceable parts inside the device.
 - Repairs must only be performed by Leuze electronic GmbH + Co. KG.

NOTE

Affix laser information and warning signs!

Laser information and warning signs are affixed to the device. In addition, self-adhesive laser information and warning signs (stick-on labels) are supplied in several languages.

- Affix the laser information sheet to the device in the language appropriate for the place of use. When using the device in the US, use the stick-on label with the "Complies with 21 CFR 1040.10" note.
- Affix the laser information and warning signs near the device if no signs are attached to the device (e.g. because the device is too small) or if the attached laser information and warning signs are concealed due to the installation position.
- ♦ Affix the laser information and warning signs so that they are legible without exposing the reader to the laser radiation of the device or other optical radiation.

Accessories

Connection technology - Connection cables

 Part no.	Designation	Article	Description
50132079	KD U-M12-5A-V1- 050	Connection cable	Connection 1: Connector, M12, Axial, Female, A-coded, 5 -pin Connection 2: Open end Shielded: No Cable length: 5,000 mm Sheathing material: PVC

Connection technology - Interconnection cables

	Part no.	Designation	Article	Description
5	50114571 *	KB 301-3000	Interconnection cable	Suitable for interface: RS 232, RS 422, RS 485 Connection 1: Socket connector Connection 2: JST ZHR, 10 -pin, 6 -pin Shielded: Yes Cable length: 3,000 mm Sheathing material: PVC

Accessories

Leuze

	Part no.	Designation	Article	Description
	50117011	KB USB A - USB miniB	Service line	Suitable for interface: USB Connection 1: USB Connection 2: USB Shielded: Yes Cable length: 1,500 mm Sheathing material: PVC

* Necessary accessories, please order separately

Mounting technology - Mounting brackets

 Part no.	Designation	Article	Description
 50121433	BT 300 W	Mounting device	Design of mounting device: Angle, L-shape Fastening, at system: Through-hole mounting Mounting bracket, at device: Screw type Type of mounting device: Adjustable Material: Metal

Mounting technology - Rod mounts

	Part no.	Designation	Article	Description
a contraction of the second se	50121435	BT 56 - 1	Mounting device	Functions: Static applications Design of mounting device: Mounting system Fastening, at system: For 12 mm rod, For 14 mm rod, For 16 mm rod Mounting bracket, at device: Clampable Material: Metal Tightening torque of the clamping jaws: 8 N⋅m

Mounting technology - Other

 Part no.	Designation	Article	Description
50124941	BTU 0300M-W	Mounting device	Fastening, at system: Through-hole mounting Mounting bracket, at device: Clampable, Groove mounting, Suited for M4 screws Material: Metal

Reflective tapes for standard applications

Part no.	Designation	Article	Description
50106119	REF 4-A-100x100	Reflective tape	Design: Rectangular Reflective surface: 100 mm x 100 mm Material: Plastic Chemical designation of the material: PMMA Fastening: Self-adhesive

Accessories

Leuze

Services

	Part no.	Designation	Article	Description
₽ ©	S981020	CS30-E-212	Hourly rate for "Configuration"	Details: Compilation of the application data, selection and suggestion of suitable sensor system, drawing prepared as assembly sketch. Conditions: Completed questionnaire or project specifications with a description of the application have been provided. Restrictions: Travel and accommodation charged separately and according to expenditure.
у, ⁽⁾	S981014	CS30-S-110	Start-up support	Details: Performed at location of customer's choosing, duration: max. 10 hours. Conditions: Devices and connection cables are already mounted, price not including travel costs and, if applicable, accommodation expenses. Restrictions: No mechanical (mounting) and electrical (wiring) work performed, no changes (attachments, wiring, programming) to third-party components in the nearby environment.
	S981019	CS30-T-110	Product training	Details: Location and content to be agreed upon, duration: max. 10 hours. Conditions: Price not including travel costs and, if applicable, accommodation expenses. Restrictions: Travel costs and accommodation expenses charged separately and according to expenditure.
	S981021	CS30-V-212	Hourly rate for "Bar code qualification"	Details: REA evaluation with creation of a test report, evaluation of the code quality. Conditions: Original bar codes to be provided by the client.

	Note
6	♣ A list with all available accessories can be found on the Leuze website in the Download tab of the article detailed page.