

Technical data sheet Stationary bar code reader

Part no.: 50135041

BCL 338i S M 100



Contents

- Technical data
- Dimensioned drawings
- Electrical connection
- Diagrams
- Operation and display
- Part number code
- Notes
- Accessories











Technical data



| Basic data | | Interface | |
|--|---|---|------------------------------|
| Series | BCL 300i | Туре | EtherCAT |
| Special version | | EtherCAT | |
| Special version | Heating | Function | Process |
| Functions | · | Transmission protocol | EtherCAT, CoE and EoE |
| | | Service interface | |
| Functions | Alignment mode | Type | USB |
| | AutoConfig | | |
| | AutoControl | USB | |
| | AutoReflAct | Function | Configuration via software |
| | Code fragment technology | | Service |
| | LED indicator | | |
| | Reference code comparison | Connection | |
| Characteristic parameters | | Number of connections | 1 Piece(s) |
| MTTF | 110 years | 0 | |
| | , , , , , , , , , , , , , , , , , , | Connection 1 Function | BUS IN |
| Read data | | runcuon | BUS IN |
| Ondo tomos mondolds | O/F Interlacted | | |
| Code types, readable | 2/5 Interleaved | | Connection to device |
| | Codabar | | Data interface |
| | Code 128 | | PWR / SW IN / OUT |
| | Code 39 | | Service interface |
| | Code 93 | Type of connection | Plug connector |
| | EAN 8/13 | No. of pins | 32 -pin |
| | GS1 Databar Expanded | Туре | Male |
| | GS1 Databar Limited | Mechanical data | |
| | GS1 Databar Omnidirectional | Mechanical data | |
| | UPC | Design | Cubic |
| Scanning rate, typical | 1,000 scans/s | Dimension (W x H x L) | 103 mm x 44 mm x 96 mm |
| Bar codes per reading gate, max. | 64 Piece(s) | Housing material | Metal, Diecast aluminum |
| number | | Lens cover material | Glass |
| Optical data | | Net weight | 370 g |
| · | | Housing color | Black |
| Reading distance | 30 290 mm | | Red |
| Light source | Laser, Red | Type of fastening | Dovetail grooves |
| Laser light wavelength | 655 nm | | Fastening on back |
| Laser class | 2, IEC/EN 60825-1:2007 | | Via optional mounting device |
| Transmitted-signal shape | Continuous | | |
| Usable opening angle (reading field opening) | 60 ° | Operation and display | |
| Modulus size | 0.2 0.5 mm | Type of display | LED |
| Reading method | Line scanner with deflecting mirror | Number of LEDs | 2 Piece(s) |
| Beam deflection | By means of rotating polygon mirror wheel + deflecting mirror | Type of configuration | Via web browser |
| Light beam exit | Lateral with deflecting mirror | Environmental data | |
| Electrical data | | Ambient temperature, operation | -35 40 °C -20 70 °C |
| Protective circuit | Polarity reversal protection | Ambient temperature, storage Relative humidity (non-condensing) | 0 90 % |
| Performance data | | | |
| Supply voltage U _B | 18 30 V, DC | | |
| Power consumption, max. | 4.5 W | | |
| | 4.5 VV | | |
| Inputs/outputs selectable | | | |
| Output current, max. | 60 mA | | |
| Number of inputs/outputs selectable | e 2 Piece(s) | | |
| Input current, max. | 8 mA | | |

Technical data



Certifications

| Degree of protection | IP 65 |
|---|--------------------------|
| Protection class | III |
| Certifications | c UL US |
| Test procedure for EMC in accordance | EN 55022 |
| with standard | EN 61000-4-2, -3, -4, -6 |
| Test procedure for shock in accordance with standard | IEC 60068-2-27, test Ea |
| Test procedure for continuous shock in accordance with standard | IEC 60068-2-29, test Eb |
| Test procedure for vibration in | IEC 60068-2-6, test Fc |


Classification

| Customs tariff number | 84719000 |
|-----------------------|----------|
| eCl@ss 8.0 | 27280102 |
| eCl@ss 9.0 | 27280102 |
| eCl@ss 10.0 | 27280102 |
| eCl@ss 11.0 | 27280102 |
| ETIM 5.0 | EC002550 |
| ETIM 6.0 | EC002550 |

Dimensioned drawings

All dimensions in millimeters

accordance with standard



- A Optical axis
- B Deflection angle of the laser beam: ± 30°
- C M4 thread (5 deep)

Electrical connection




Connection 1

| Function | BUS IN |
|--------------------|----------------------|
| | BUS OUT |
| | Connection to device |
| | Data interface |
| | PWR / SW IN / OUT |
| | Service interface |
| Type of connection | Plug connector |
| No. of pins | 32 -pin |
| Туре | Male |

Diagrams

Reading field curve



- x Reading field distance [mm]
- y Reading field width [mm]

Operation and display

| LE | D | Display | Meaning |
|----|-----|---------------------------------------|---------------------------------|
| 1 | PWR | Green, flashing | Device ok, initialization phase |
| | | Green, continuous light | Device OK |
| | | Green, briefly off - on | Reading successful |
| | | green, briefly off - briefly red - on | Reading not successful |
| | | Orange, continuous light | Service mode |
| | | Red, flashing | Device OK, warning set |
| | | Red, continuous light | Error, device error |

Operation and display



| LED | Display | Meaning |
|-------|-------------------------|---------------------|
| 2 BUS | Green, flashing | Initialization |
| | Green, continuous light | Bus operation ok |
| | Red, flashing | Communication error |
| | Red, continuous light | Bus error |

Part number code

Part designation: BCL XXXX YYZ AAA BB CCCC

| BCL | Operating principle BCL: bar code reader |
|------|--|
| XXXX | Series/interface (integrated fieldbus technology) 300i: RS 232 / RS 422 (stand-alone) 301i: RS 485 (multiNet slave) 304i: PROFIBUS DP 308i: EtherNet TCP/IP, UDP 348i: PROFINET RT 358i: EtherNet/IP |
| YY | Scanning principle S: line scanner (single line) R1: line scanner (raster) O: oscillating-mirror scanner (oscillating mirror) |
| z | Optics N: High Density (close) M: Medium Density (medium distance) F: Low Density (remote) L: Long Range (very large distances) J: ink-jet (depending on the application) |
| AAA | Beam exit 100: lateral 102: front |
| ВВ | Special equipment D: with display H: with heating DH: optionally with display and heating P: plastic exit window |
| cccc | Functions F007: optimized process data structure |

Note



∜ A list with all available device types can be found on the Leuze website at www.leuze.com.

Notes



Observe intended use!



- $\ ^{\mbox{\scriptsize t}}\ \mbox{\scriptsize T}$ This product is not a safety sensor and is not intended as personnel protection.
- $\ ^{\mbox{\tiny b}}\ \mbox{ The product may only be put into operation by competent persons.}$
- $\ ^{\mbox{\tiny t}}\ \mbox{Only}$ use the product in accordance with its intended use.

Notes





WARNING! LASER RADIATION - CLASS 2 LASER PRODUCT



Do not stare into beam!

The device satisfies the requirements of IEC 60825-1:2007 (EN 60825-1:2007) safety regulations for a product of laser class 2 as well as the U.S. 21 CFR 1040.10 regulations with deviations corresponding to "Laser Notice No. 50" from June 24, 2007.

- Never look directly into the laser beam or in the direction of reflected laser beams! If you look into the beam path over a longer time period, there is a risk of injury to the retina.
- ♥ Do not point the laser beam of the device at persons!
- 🖖 Interrupt the laser beam using a non-transparent, non-reflective object if the laser beam is accidentally directed towards a person.
- 🔖 When mounting and aligning the device, avoid reflections of the laser beam off reflective surfaces!
- by CAUTION! Use of controls or adjustments or performance of procedures other than specified herein may result in hazardous light exposure.
- b Observe the applicable statutory and local laser protection regulations.
- The device must not be tampered with and must not be changed in any way. There are no user-serviceable parts inside the device. Repairs must only be performed by Leuze electronic GmbH + Co. KG.

NOTE



Affix laser information and warning signs!

Laser information and warning signs are affixed to the device. In addition, self-adhesive laser information and warning signs (stick-on labels) are supplied in several languages.

- Affix the laser information sheet to the device in the language appropriate for the place of use. When using the device in the US, use the stick-on label with the "Complies with 21 CFR 1040.10" note.
- Affix the laser information and warning signs near the device if no signs are attached to the device (e.g. because the device is too small) or if the attached laser information and warning signs are concealed due to the installation position.
- Affix the laser information and warning signs so that they are legible without exposing the reader to the laser radiation of the device or other optical radiation.

Accessories

Connection technology - Connection cables

| | Part no. | Designation | Article | Description |
|--------|----------|-------------------------|------------------|--|
| | 50132079 | KD U-M12-5A-V1- 050 | Connection cable | Connection 1: Connector, M12, Axial, Female, A-coded, 5 -pin Connection 2: Open end Shielded: No Cable length: 5,000 mm Sheathing material: PVC |
| Ů D | 50135074 | KS ET-M12-4A-P7- 050 | Connection cable | Suitable for interface: Ethernet Connection 1: Connector, M12, Axial, Male, D-coded, 4 -pin Connection 2: Open end Shielded: Yes Cable length: 5,000 mm Sheathing material: PUR |

Leuze electronic GmbH + Co. KG info@leuze.com • www.leuze.com

In der Braike 1, 73277 Owen Phone: +49 7021 573-0 • Fax: +49 7021 573-199

Accessories



Connection technology - Interconnection cables

| | Part no. | Designation | Article | Description |
|--|----------|---------------------------------|-----------------------|--|
| | 50117011 | KB USB A - USB miniB | Service line | Suitable for interface: USB Connection 1: USB Connection 2: USB Shielded: Yes Cable length: 1,500 mm Sheathing material: PVC |
| | 50137078 | KSS ET-M12-4A- M12-4A-P7-050 | Interconnection cable | Suitable for interface: Ethernet Connection 1: Connector, M12, Axial, Male, D-coded, 4 -pin Connection 2: Connector, M12, Axial, Male, D-coded, 4 -pin Shielded: Yes Cable length: 1,000 mm Sheathing material: PUR |
| | 50135081 | KSS ET-M12-4A- RJ45-A-P7-050 | Interconnection cable | Suitable for interface: Ethernet Connection 1: Connector, M12, Axial, Male, D-coded, 4 -pin Connection 2: RJ45 Shielded: Yes Cable length: 5,000 mm Sheathing material: PUR |

Mounting technology - Mounting brackets

| Part no. | Designation | Article | Description |
|----------|-------------|-----------------|---|
| 50121433 | BT 300 W | Mounting device | Design of mounting device: Angle, L-shape Fastening, at system: Through-hole mounting Mounting bracket, at device: Screw type Type of mounting device: Adjustable Material: Metal |

Mounting technology - Rod mounts

| Part no. | Designation | Article | Description |
|----------|-------------|-----------------|--|
| 50121435 | BT 56 - 1 | Mounting device | Functions: Static applications Design of mounting device: Mounting system Fastening, at system: For 12 mm rod, For 14 mm rod, For 16 mm rod Mounting bracket, at device: Clampable Material: Metal Tightening torque of the clamping jaws: 8 N·m |

Mounting technology - Other

| Part no. | Designation | Article | Description |
|----------|-------------|-----------------|---|
| 50124941 | BTU 0300M-W | Mounting device | Fastening, at system: Through-hole mounting Mounting bracket, at device: Clampable, Groove mounting, Suited for M4 screws Material: Metal |

Accessories



Reflective tapes for standard applications

| Part no. | Designation | Article | Description |
|----------|-----------------|-----------------|---|
| 50106119 | REF 4-A-100x100 | Reflective tape | Design: Rectangular Reflective surface: 100 mm x 100 mm Material: Plastic Chemical designation of the material: PMMA Fastening: Self-adhesive |

Services

| | Part no. | Designation | Article | Description |
|-------------------|----------|-------------|---|---|
| ₽ | S981020 | CS30-E-212 | Hourly rate for "Configuration" | Details: Compilation of the application data, selection and suggestion of suitable sensor system, drawing prepared as assembly sketch. Conditions: Completed questionnaire or project specifications with a description of the application have been provided. Restrictions: Travel and accommodation charged separately and according to expenditure. |
| | S981014 | CS30-S-110 | Start-up support | Details: Performed at location of customer's choosing, duration: max. 10 hours. Conditions: Devices and connection cables are already mounted, price not including travel costs and, if applicable, accommodation expenses. Restrictions: No mechanical (mounting) and electrical (wiring) work performed, no changes (attachments, wiring, programming) to third-party components in the nearby environment. |
| | S981019 | CS30-T-110 | Product training | Details: Location and content to be agreed upon, duration: max. 10 hours. Conditions: Price not including travel costs and, if applicable, accommodation expenses. Restrictions: Travel costs and accommodation expenses charged separately and according to expenditure. |
| | S981021 | C\$30-V-212 | Hourly rate for "Bar code qualification" | Details: REA evaluation with creation of a test report, evaluation of the code quality. Conditions: Original bar codes to be provided by the client. |

Note



🔖 A list with all available accessories can be found on the Leuze website in the Download tab of the article detailed page.