



ELDE.NGB24

- 24 VAC/DC
- yellow LED
- Screw connection
- Mounting flange position 3

Data

Ordering data

	ELDE.NGB24
	101165998
EAN (European Article Number)	4250116200672
eCl@ss number, Version 9.0	27-37-13-02

Approval - Standards

cULus
CCC
EAC

General data

Product name	Light terminal block ELD EN 60947-5-1 IEC/EN 60947-1
Installation conditions (mechanical)	arbitrarily
Enclosure material	Plastic, glass-fibre reinforced thermoplastic, self-extinguishing
Gross weight	20 g

General data - Features

Integral System Diagnostics, general	Yes
--------------------------------------	-----

Mechanical data

Installation instructions	pluggable 3
---------------------------	----------------

Mechanical data - Connection technique

Terminal Connector	Screw connection
Terminal designations	EN 50013
Cable section, minimum	0.5 mm ² , rigid 0.5 mm ² , flexible
Cable section, maximum	2.5 mm ² , rigid 1.5 mm ² , flexible

Mechanical data - Dimensions

Width	10 mm
Length	46 mm
Depth	60 mm

Ambient conditions

	IP20
Ambient temperature, minimum	-25 °C
Ambient temperature, maximum	+80 °C

Electrical data

250 V

Status indication

Colour of the LED	Yellow
Note (LED switching conditions display)	Supply voltage UB: 24 VAC/DC

Pictures

Photo/Product/Catalogue



ID: keldlf01

| 41,8 kB | .png | 74.083 x 103.717 mm - 210 x 294
Pixel - 72 dpi
| 534,7 kB | .jpg | 352.778 x 494.594 mm - 1000 x
1402 Pixel - 72 dpi


Graphic/Product/Contact



ID: krdlek01

| 33,5 kB | .jpg | 352.778 x 79.022 mm - 1000 x 224
Pixel - 72 dpi
| 16,9 kB | .cdr |

Illustration/Product/Function



ID: krf--a05

| 189,7 kB | .jpg | 352.778 x 711.2 mm - 1000 x 2016
Pixel - 72 dpi
| 19,5 kB | .cdr |
| 3,7 kB | .png | 74.083 x 149.225 mm - 210 x 423
Pixel - 72 dpi

K.A. Schmersal GmbH & Co. KG, Möddinghofe 3, D-42279 Wuppertal

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on 312021-01-31T14:35:31+01:000201Europe/BerlinSun, 31 Jan 2021 14:35:31

+010031pmSunday.31pm31Europe/BerlinCET3501Europe/BerlinJanuary2021Sun, 31 Jan 2021 14:35:31

+010001pm31