



ELDE.NGB230

- 230 VAC
- yellow LED
- Screw connection
- Mounting flange position 3

Data

Ordering data

	ELDE.NGB230
	101166024
EAN (European Article Number)	4250116200825
eCl@ss number, Version 9.0	27-37-13-02

Approval - Standards

cULus
CCC
EAC

General data

Product name	Light terminal block ELD EN 60947-5-1 IEC/EN 60947-1
Installation conditions (mechanical)	arbitrarily
Enclosure material	Plastic, glass-fibre reinforced thermoplastic, self-extinguishing
Gross weight	25 g

General data - Features

Integral System Diagnostics, general	Yes
--------------------------------------	-----

Mechanical data

Installation instructions	pluggable 3
---------------------------	----------------

Mechanical data - Connection technique

Terminal Connector	Screw connection
Terminal designations	EN 50013
Cable section, minimum	0.5 mm ² , rigid 0.5 mm ² , flexible
Cable section, maximum	2.5 mm ² , rigid 1.5 mm ² , flexible

Mechanical data - Dimensions

Width	30 mm
Length	46 mm
Depth	60 mm

Ambient conditions

	IP20
Ambient temperature, minimum	-25 °C
Ambient temperature, maximum	+80 °C

Electrical data

250 V

Status indication

Colour of the LED	Yellow
Note (LED switching conditions display)	Supply voltage UB: 230 VAC

Pictures

Photo/Product/Catalogue



ID: keldlf04


| 51,1 kB | .png | 73.731 x 111.478 mm - 209 x 316

Pixel - 72 dpi

| 625,1 kB | .jpg | 352.425 x 531.989 mm - 999 x 1508

Pixel - 72 dpi

Graphic/Product/Contact




ID: krdlek02

| 17,6 kB | .cdr |

| 41,7 kB | .jpg | 352.778 x 102.306 mm - 1000 x 290

Pixel - 72 dpi

Illustration/Product/Function



ID: krf--a05

| 189,7 kB | .jpg | 352.778 x 711.2 mm - 1000 x 2016

Pixel - 72 dpi

| 19,5 kB | .cdr |

| 3,7 kB | .png | 74.083 x 149.225 mm - 210 x 423

Pixel - 72 dpi

K.A. Schmersal GmbH & Co. KG, Möddinghofe 3, D-42279 Wuppertal

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on 172021-01-31T14:35:17+01:000201Europe/BerlinSun, 31 Jan 2021 14:35:17

+010017pmSunday.31pm31Europe/BerlinCET3501Europe/BerlinJanuary2021Sun, 31 Jan 2021 14:35:17

+010001pm31