



ELEK

- Print with LED symbol

Data

Ordering data

	ELEK
	101167368
EAN (European Article Number)	4030661463797
eCl@ss number, Version 9.0	27-37-13-02

Approval - Standards

EAC

General data

Product name	Light terminal block EL EN 60947-5-1 IEC/EN 60947-1
Installation conditions (mechanical)	arbitrarily
Enclosure material	Plastic, glass-fibre reinforced thermoplastic, self-extinguishing
Gross weight	20 g
Note	Print with LED symbol

Mechanical data

Installation instructions	pluggable 3
---------------------------	----------------

Mechanical data - Connection technique

Terminal Connector	Cage clamps, WAGO-Cage-Clamp
Terminal designations	EN 50013

2 x 0.08 mm²

2 x 1.5 mm²

Mechanical data - Dimensions

Width	10 mm
Length	46 mm
Depth	51 mm

Ambient conditions

	IP20
Ambient temperature, minimum	-25 °C
Ambient temperature, maximum	+80 °C

Electrical data

250 V

Status indication

Colour of the LED	without
Note (LED switching conditions display)	Supply voltage UB: 24 VAC/DC

Scope of delivery


Note (included in delivery, number and type)	Illuminants have to be purchased optionally
--	---

Pictures

Photo/Product/Catalogue



Graphic/Product/Contact




ID: krdlek01

| 33,5 kB | .jpg | 352.778 x 79.022 mm - 1000 x 224

Pixel - 72 dpi

| 16,9 kB | .cdr |

Illustration/Product/Function



ID: krf--a07

| 4,3 kB | .png | 73.731 x 124.531 mm - 209 x 353

Pixel - 72 dpi

| 19,0 kB | .cdr |

| 184,6 kB | .jpg | 352.778 x 594.431 mm - 1000 x

1685 Pixel - 72 dpi

K.A. Schmersal GmbH & Co. KG, Möddinghofe 3, D-42279 Wuppertal

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on 122021-01-31T14:34:12+01:000201Europe/BerlinSun, 31 Jan 2021 14:34:12

+010012pmSunday.31pm31Europe/BerlinCET3401Europe/BerlinJanuary2021Sun, 31 Jan 2021 14:34:12

+010001pm31